

3M Solutions for the Pharmaceutical Industry







LABORATORY



A P O





Health and Safety Solutions for the Pharmaceutical Industry.

Top Pharmaceutical Manufacturing Processes and Tasks

Active Pharmaceutical Ingredient

Helping health and safety leaders with the latest advancements in personal protection equipment when tackling the challenging occupational workplace hazards of API including highly potent APIs with an OEL lower than 1µg/m³.

Formulation and Packaging

Leveraging personal protective equipment innovations when addressing occupational health and safety hazards for drug substance formulation and packaging.

Maintenance and Cleaning

Delivering PPE solutions for potential occupational hazards with ongoing maintenance activities including decontamination or cleaning of cleanrooms or production suites with challenging cleaning agents such as peracetic acid and hydrogen peroxide.

MOST COMMON HAZARDS IN PHARMACEUTICAL MANUFACTURING

















HAZARDS

DISPOSABLE RESPIRATORS

RESPIRATORS

REUSABLE

POWERED AIR RESPIRATORS

3M™ Aura™ Disposable Respirators 9300+ Series



The 3M™ Aura™ Disposable Respirator 9330+ provides comfort and style without compromising performance. With the aid of 3M's innovative low breathing resistance filter technology, you can breathe through the respirator with less effort. The 3M™ Aura™ 9330+ also features an embossed top panel that helps reduce the fogging of eyewear from warm, moist exhaled air.



3M[™] Secure Click[™] Reusable Half Mask HF-800 Series



features 3M™ Secure Click™ Reusable Respirator HF-800 Series is simple, comfortable and reliable. The new 3M™ Secure Click™ Series features a quick, simple cartridge/filter connection. It works just like a seat belt. Simply align the connections and push until you hear a click and feel confident that filters and cartridges are installed properly.

Designed with smart and intuitive



3M[™] Versaflo[™] Powered Air Turbo TR-800



TR-800 is an intrinsically safe powered air turbo from the 3M™ Versaflo™ range. When coupled with the Versaflo™ family of headtops, filters and accessories, TR-800 provides protection against a variety of gases and particulate hazards. Comfort is maximised with three user selectable flow rates and controlled airflow.



3M[™] Versaflo[™] Powered Air Turbo TR-600



With user-selectable airflow rates, rugged construction and a comfortable design that will see you through the entire shift, the 3M" Versaflo" Powered Air Turbo TR-600 helps provide durable protection in harsh environments.





3M[™] Versaflo[™] S-Series Hoods & Headcovers



Headcovers is a range of hoods and headcovers that can be used in many 3M™ powered air turbo and supplied air respirator combinations. They have been designed for a comfortable, stable fit and feature the innovative

3M™ Versaflo™ S-Series Hoods &



3M[™] Quick Release Swivel connection.



APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Repacking
- Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)

Liquid/semi-solid Pharma Production

- ► Raw material proportioning
- ► Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- ► Raw material control

Clean down and maintenance

- ► Reprocessing equipment for reuse
- ► Cleaning and maintenance of machinery
- ► Manual clean and disinfection



PROTECTIVE COVERALLS

3M™ Protective Coverall 4510





3M™ Protective Coverall 4510 offers economic protection against biological agents, hazardous dusts and limited liquid splashes. Our PE laminate includes micro pores which allow heat and moisture to evaporate from the skin and out through the suit offering a light and comfortable yet protective solution. Type 5/6.

3M™ Protective Coverall 4520









3M™ Protective Coverall 4520 has been engineered to offer multiple layers of SMMMS for effective hold out and strength at a lightweight 43gsm. Superbly breathable and soft with a cloth like feel it can be worn for extended periods comfortably and protects against static discharge, hazardous particulates and liquid splash Type 5/6.

3M™ Protective Coverall 4565









3M™ Protective Coverall 4565 has desirable comfort features and provides a strong barrier to certain chemicals, liquid sprays and particles. 3M protective coverall 4565 is non-microporous to offers chemical protection with permeation tested resistance and is certified to EN 14126 biological agents. Type 4/5/6.

APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Repacking
- Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)

Liquid/semi-solid Pharma Production

► Raw material control

*A collared (non-hooded) version, 4520CS is also available.

- Raw material proportioning
- ► Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- Secondary packaging (card pack)

Clean down and maintenance

- ► Cleaning and maintenance of machinery
- ► Manual clean and disinfection
- ► Reprocessing equipment for reuse

*Product supply may be affected due to COVID-19 restrictions. Please contact 3M for latest product availability



Personal Safety Solutions HEARING PROTECTION











PASSIVE HEARING

3M[™] PELTOR[™] Earmuffs X Series



X series earmuffs combine 3M™ Peltors™ legendary hearing protection knowledge with our most advanced technologies, creating our most comfortable,durable earmuff. A broad range of protection in colour coded SNRs they make finding the correct protection level easier.



3M™ E-A-R™ Express™ Earplugs



3M™ E-A-R™ Express™ Earplugs are our recognisable yellow and blue earplugs with a foam tip that's shaped and sized for a comfortable fit. They can reduce noise levels by 28 dB and have a hygienic insertion grip.



3M[™] E-A-R[™] UltraFit[™] 20 Earplugs



3M[™] E-A-R[™] Ultrafit[™] 20 Earplugs are our corded, reusable and silicone low attenuating earplugs. Protecting up to 20 dB, when matched to the noise level they allow conversation whilst protectig against hearing loss.



COMMUNICATIONS SOLUTIONS

3M™ PELTOR™ LiteCom Headsets



3M™ PELTOR™ LiteCom Headsets are our hearing protectors with a built-in pre-programmed two-way communication radio and an integrated noise cancelling microphone. They're built for demanding environments to help you communicate efficiently over hazardous noise.



APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)
- Secondary packaging (card pack)

Liquid/semi-solid Pharma Production

- ► Raw material proportioning
- ► Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- Raw material control
- Secondary packaging (card pack)

Clean down and maintenance

- ► Reprocessing equipment for reuse
- ► Cleaning and maintenance of machinery
- ► Manual clean and disinfection



SAFETY GLASSES

3M™ SecureFit™ Safety Glasses 400 Series







3M™ SecureFit™ Safety Glasses 400 Series comprise of a rimless lens and wide flexible temple arms for solid side protection and popular to be used in combination with Ear Muffs. Temples also feature 3M™ Pressure Diffusion Temple Technology (PDT) which allows the safety spectacle temples to naturally adjust to individuals head sizes giving wearers a secure and comfortable fit. Reduces slippage from head movements. Contoured brow guard rests comfortably against forehead and helps provide additional coverage from flying particles. Soft nose bridge for a comfortable fit. They are available in 7 lens options.



3M™ Solus™ 1000 Series Safety Glasses

A fogged lens can be frustrating and



challenging. Removing eyewear to wipe away fog can expose eyes to potentially dangerous workplace impact hazards and debris. 3M™ Solus[™] 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer - providing longer lasting fog resistance than traditional anti-fog coatings. The 3M™ Scotchgard™ Protector Anti-Fog Coating resists fogging longer than traditional antifog coatings, up to 25 washings with water. Based on 3M internal testing of tap water wash cycles followed by anti-fog testing per EN168 test method.



OVERSPECTACLES

3M™ SecureFit™ **Overspectacles 3700 Series**









Diffusion Temple (PDT) technology to ensure a close fit and a soft touch nosepiece to help provide comfort. The polycarbonate lens is available with 3M™ Scotchgard™ Anti-Fog and anti-scratch coatings for increased durability and improved vision. Available in three temple arm colours and four lens options.

3M™ SecureFit™ Overspectacles 3700 Series

are our safety overspectacles designed for



SAFETY GOGGLES

3M™ GoggleGear™ Safety Gogales 500 Series



3M™ Goggle Gear 500 Series features a low-profile design with an adjustable strap, indirect ventilation and 3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating. Can be disinfected with diluted bleach soaking or alcohol wipes and sterilised by autoclave without losing its mechanical or anti-fog performance -please refer to Note.





*Note: Sterilisation by autoclaving - internal testing has been carried out on GG501NSGAF-EU samples subjected to 10x, 20x, 30x and 40x automatic cleaning and disinfection and sterilisation by autoclaving at 121°C. Testing was then carried out on the following properties:

- mechanical performance (BT) / the anti-fog properties (K)
- the anti-scratch properties (N) / optical performance (Class 1) Based on the internal testing the claims remain valid.

APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ▶ Fermentation

Solid pharma production


- ► Raw material control
- ► Repacking
- ► Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- ► Primary packaging (blister pack)
- Secondary packaging (card pack)

Liquid/semi-solid Pharma Production

- Raw material proportioning
- Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- ► Raw material control
- Secondary packaging (card pack)

Clean down and maintenance

- Reprocessing equipment for reuse
- Cleaning and maintenance of machinery
- Manual clean and disinfection





HEAD PROTECTION

3M™ SecureFit™ X5500 Safety Helmet

3M[™] SecureFit[™] Safety Helmet X5500 Series provides secure, comfortable and adjustable head protection for workers in a variety of situations. Our helmets feature adjustable positioning and easy-turning. 4-point ratchet suspension systems that features the exclusive 3M™ Pressure Diffusion Technology. X5500 Series safety helmets have 3M™ UVicator™ Sensors that indicates damaging levels

of ultraviolet (UV) light. They meet the EN397 standard for general industrial use and are available in a variety of colours with or without vents.

FACE PROTECTION

3M™ U5B-CE Faceshield Holder for SecureFit™ Safety Helmet



The U5B-CE Faceshield Holder connects a variety of 3M faceshields to the 3M™ SecureFit™ Safety Helmets X5000 and X5500.



3M™ WP Series Clear Visors





3M™ W-Series Faceshields offer optical clarity and highperformance durability in unpredictable environments that involve exposure to impact hazards and flying debris.





3M™ Faceshield, 5F-11 is our optical class 1, clear curved polycarbonate faceshield with antifog and anti-scratch coating. It's compatible with 3M™ V5 Faceshield System for mounting on 3M™ SecureFit™ X5500 Safety Helmet.

3M[™] 5F-11 Face Shields



3M™ Helmet Integrated Safety Glasses V9C





*Product supply may be affected due to COVID-19 restrictions.

► Synthesis / reaction ► Fermentation

Please contact 3M for latest product availability

MAINTENANCE TASKS

API production/(bio-) synthesis



Confined spaces are partially or fully enclosed spaces that meet all of the following criteria:

- ► Large enough for workers to enter and perform certain jobs.
- ► Limited or restricted means for entry or exit.
- ► Not designed for continuous occupancy.


The range of possible confined spaces is also extensive. type, size and hazards vary greatly, along with different standards, regulations and company policies that can apply to each working environment.

Elements of Working Safely in Confined Spaces:

Confined spaces can be complicated and anyone, in any industry, can be exposed to working in and around them. We break this complexity down to four mayor elements:









EXAMPLE CONFINED SPACES IN PHARMACEUTICALS

Pharmaceutical Production Vessels:

- ► Active Pharmaceutical Ingredient (API) production: Reactor vessels
- ▶ Biotech: Process systems, fermentation vessels and purification systems
- ► Proportioning: Containment rooms, HVAC systems

- Mixing & Granulation: Large sifters, granulators and blending equipment
- ► Liquid processes: Storage and mixing tanks, filter presses
- ► Tablet and pellet coating: Mixing and coating drums

Pharmaceutical Routine Operations:

- Entry for maintenance and cleaning operations;
 Air handlers, ductwork, manholes, vaults & pits
- ► Onsite waste water treatment facility



A · ANCHORAGES

DBI-SALA® Short Reach Davit System



3M™ DBI-SALA® Confined Space HC (High Capacity) Short Reach Davit System is constructed of powder-coated aluminium, and features a modular design for easy transport and storage. Our system is adjustable, providing flexibility during installation. This product is certified to EN795:2012, CEN/TS 16415:2013, EN1496:2012, and meets the requirements of machinery directive 2006/42EC for material handling.

B · BODY SUPPORT

DBI-SALA® Delta™ Comfort Rescue Harness



3M™ DBI-SALA® Delta™ Comfort Rescue Harness is one of our most popular harnesses featuring comfortable padding, with an ergonomic fit and feel, lightweight buckles and high strength webbing. It has a no-tangle triangular pattern, which creates a frame that allows the harness to be easily donned. D-rings on shoulders for upright rescue/ retrieval from confined spaces.

C · **CONNECTING DEVICES**

DBI-SALA® Sealed-Blok™ SRL with Retrieval Winch



Our 3M™ DBI-SALA® Sealed-Blok™ Retrieval Self-Retracting Lifeline, has been designed to stand up to the harshest environments. With all the features of our standard Sealed-Blok™ plus a 3-way retrieval winch The heavyduty design is corrosion resistant, with stainless steel end-plates and aluminium housing. For reliability and quality fall protection in applications such as oil and gas rigging, confined space, saltwater environments, dirty environments and sewage plants, Sealed-Blok™ has many years of service in the field.



Equipment You Can Trust.

Your access and rescue equipment can mean the difference between getting in and out safely or not.

BIOLOGICAL INDICATOR SYSTEMS

3M[™] Attest[™] Rapid Readout Biological Indicator 1292-S





The 3M™ Attest™ Rapid Readout Biological Indicator system for use with steam sterilization processing provides the result in three hours, if necessary allowing corrective action to begin before batches are released.

BOWIE DICK TYPE TESTS

3M[™] Comply[™] Disposable Bowie and Dick Type Autoclave Test Pack





Bowie-Dick Test Packs are used to monitor the performance of vacuum-assisted pre-vac steam sterilizers; test packs will reproducibly detect residual air in the sterilizer chamber due to leaks, inadequate vacuum and non-condensable gases – any of which can compromise sterility.

TYPE 1 PROCESS INDICATOR TAPES

3M[™] Comply[™] Lead Free Steam Indicator Tape 1322 and 1355



As an exposure monitor, 3M™ Comply™ Indicator tapes securely seal packs and enables CSSD and OR personnel to know at a glance that the packs have been exposed to the sterilization process. The chemical indicator ink, printed in a diagonal striped pattern, changes color or turns darker when exposed to the sterilization process.

3M[™] Attest[™] Super Rapid Readout Biological Indicator





3M[™] Attest[™] Super Rapid Readout Biological Indicators and Challenge Packs for Steam, super rapid 24 minute results.

3M™ Electronic Test System (ETS)™



The Electronic Test System (ETS) is a stand alone test device for measurements of the physical parameters of a steam sterilizer empty chamber Bowie Dick cycle providing an accurate temperature, pressure and time measurement. With the use of the ETS software and the data-reader the data can be downloaded to the software. With the software the data can be analysed and stored in a digital logbook.

TYPE 5 CHEMICAL INDICATORS

3M[™] Comply[™] (SteriGage[™]) Chemical Integrator 1243A / 1243B



3M[™] Comply[™] (SteriGage[™]) Chemical Integrator 1243A/1243B are a Class 5 Integrating Integrator that meet the performance requirements of ISO 11140-1:2005. Use for pack control monitoring of all 121°C to 135°C steam sterilization cycles.





CHEMICAL INDICATOR

SELF-CONTAINED BIOLOGICAL INDICATOR SYSTEMS

SELF-CONTAINED BIOLOGICAL INDICATOR SYSTEMS





3M™ Attest™ Rapid Readout Biological Indicators 1294-S



3M™ Attest™ Auto-reader 390G



Auto-reader for use with 3M[™] Attest[™] Rapid Readout Biological Indicators and Process Challenge Packs for Ethlyene Oxide. Includes ethernet cable for web app connectivity.



Digitalisation of the monitoring of the sterilization process enables the collection of multiple streams of data for tracking and improvement.

This data can seamlessly integrate into existing or developed dashboards.



CHEMICAL INDICATOR

SELF-CONTAINED BIOLOGICAL INDICATOR SYSTEMS

SELF-CONTAINED BIOLOGICAL INDICATOR SYSTEMS

3M™ Attest™ Auto-reader 490



Auto-reader for use with 3M™ Attest™ Rapid Readout Biological Indicators and Process Challenge Packs for Steam. Includes ethernet cable for web app connectivity.



3M[™] Attest[™] Rapid Read-out Biological Indicators





3M™ Attest™ Rapid Read-out Biological Indicators use the same technology you've trusted for years, and can now bring rapid results for Vaporised Hydrogen Peroxide Sterilization processes.

3M[™] Comply[™] 1248 Hydrogen Peroxide Chemical Indicator Strip



Internal pack monitor for use in STERRAD® Sterilization Processes (Models 100, 100S, NX Standard and Advanced cycles, and 100NX Standard, Flex, Express, Duo cycles). Indicator changes from blue to pink when exposed to Vaporized Hydrogen Peroxide. Indicator color does not fade when exposed to light.





Monitoring at each level of load and pack ensures maximum chance of detecting a non-compliant sterilization event.

Cleaning & Workplace Safety Solutions FLOOR SAFETY

SLIP RESISTANT & TRACTION TAPES

3M[™] Safety-Walk[™] Slip Resistant General Purpose Tape 600 Series



Offers a low-profile design and helps reduce trip hazards. This mineral-coated, slip-resistant material is adhered by a durable resin to a pressure-sensitive adhesive backed plastic film.



SORBENTS & SPILL KITS

3M™ Chemical Sorbents



High capacity chemical sorbent pads have a scrim on one side to increase strength and eliminate linting. Pads allow the user to quickly spread sorbent on and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe.



3M™ Maintenance Sorbents



Ideal for placing in, under and around machines to catch drips. It is highly sorbent and non-granular so it will not damage plant equipment. Each case sorbs 37.5 gallons and contains 100 pads. This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. This conveniently sized pad allows the user to quickly spread sorbent on and in the path of a spill. It can also be used on a work surface in anticipation of a spill or as a wipe.



Different sizes available. Colours: Black (610); Black/Yellow (613); Yellow (630), Photoluminescent (690).



A busy workplace can be an accident waiting to happen. That's why 3M science is continually finding new ways to enhance facility safety – with technologies engineered to protect your workplace against slips and falls, chemical spills and more. Like you, we're dedicated to keeping your people safe. While keeping your facility up and running.




MATTING SOLUTIONS

3M[™] Nomad[™] Ultra Clean Matting 4300



This contamination control mat is a disposable, dust collecting floor mat consisting of 40 sheets coated with a pressure sensitive adhesive. It is designed to help protect clean areas where cleanliness and hygiene are critical factors. It can assist you in obtaining ISO14644-1 certification Class 4 to 8 for clean rooms.



3M[™] Safety-Walk[™] Cushion Matting 5270E



 Spring-coiled vinyl compresses uniformly and continually, helping provide greater comfort and less fatigue



- Solid top allows debris to stay on top of the mat for easy cleaning
- Special grease- and oil-resistant coating keeps mat resilient over time, providing continuous comfort
- · Black integral edging



3M[™] Safety-Walk[™] Light Duty Cushion Matting 3270E



- Textured top surface provides a high coefficient of friction for slip resistance
 Coils are permanently fixed to the
- top surface and will not delaminate or separate when wet like foam mats

 Lightweight for easy moving and



- positioning
 Ideal for light industrial and light to medium commercial applications
- medium commercial applications where people stand for extended periods of time
- · Black edging on all 4 sides



3M[™] Nomad[™] Terra Heavy Traffic Entrance Matting 8150



Best Nomad™ Scraper Mat for removing and hiding dirt in heavy traffic areas. Durable vinyl loops scrape, trap and hide dirt and moisture, minimizing re tracking into the building. Provides resistance to grease and oil. Backed mat can be used for indoor applications and protects floor surfaces.



3M[™] Nomad[™] Aqua Textile Drop Down Matting 85



High performing textile entrance mat, with advanced water removal and retention properties which stops 80% of dirt and moisture at the door. Engineered for high traffic applications (1500 to 5000 crossings per day). Phthalate-free, slipresistant PVC backing with excellent appearance retention.





A good matting system reduces your cleaning costs and protects your floors, employees and customers as well as your bottom line.

Cleaning & Workplace Safety Solutions FLOOR CARE & SURFACE CARE

FLOOR MAINTENANCE

Scotch-Brite™ Clean & Shine Double Sided Floor Pads





Shines the floor as you clean with it. With repeated use, your floors gradually achieve burnish-quality results without the extra step of actually burnishing. Using a low-speed auto scrubber with just plain water or neutral cleaner, it effectively removes scuff marks faster than traditional floor pads and lasts significantly longer (up to 40,000 sqm). So you can maintain a shining reflection with less time, effort and equipment.



Scotch-Brite™ Surface Preparation Pad Plus





Effectively removes floor finish, leaving a clean surface ready for recoating. Prepares wood, vinyl tile, sheet vinyl, marble, terrazzo and concrete floors for finish application. Certified by Green Seal® for Environmental Innovation based on a design for significantly improved mid-life performance compared to competitive products, extending the useful life of the floor pad and reducing solid waste generation.



2200 Surface Protection Film







Scotchgard™ Surface Protection Film is designed to protect stone any vinyl flooring, bathroom surfaces and walls from the everyday challenges they are subjected to. It can be applied to waxed vinyl, sealed concrete, marble. ceramic tile, terrazzo and more. It can be easily removed prior to floor stripping or refinishing, is compatible with standard floor cleaning procedures, floor disinfectants, cleaners and coatings and reduces the number of stripping and recoating events.





From cleaning to polishing to protecting, we'll help you restore, protect and maintain the perfect condition of your floors with high performance solutions that cuts costs, without compromising effectiveness and ease of use.

Cleaning & Workplace Safety Sol FLOOR CARE & SURFACE CARE

SURFACE MAINTENANCE

3M[™] Easy Trap[™] Sweep & Dust Sheets



Traps up to 8 times more dirt, dust and sand than conventional flat-fringed cotton dust mops or a competitive sweeping dust cloth brand. Double-sided sheets provide more space for all dry soil types to be captured in order to reduce abrasion on the floors. The proprietary fibres pick up even when wet. Can be used with your existing flat mop or high duster.



3M™ Glass Cleaner and Protector



Reduces resoiling of glass and mirrors by leaving an invisible layer of Scotchgard™ protection.







3M™ Stainless Steel **Cleaner & Polish Aerosol**



Ideal for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance.



Scotch-Brite™ **High Performance** Microfibre Wipes 2010



Ideal for cleaning stainless steel. chrome, wood and enamel, Scotch-Brite™ High Performance Cleaning Cloths are reusable and perfect for delicate surfaces such as glass and plastic.



Delicate Surface Cleaning Pads 98

Scotch-Brite™



This convenient, thick, hand-size pad is designed for gentle, no-scratch cleaning of most delicate surfaces.











Simplify complex cleaning, maintenance and renovation tasks. Our efficient and easy-to-use solutions help you increase productivity, limit disruption to regular business operations and provide a clean, safe and welcoming experience.







LANE MARKING & HAZARD WARNING

3M™ Vinyl Tape 471/5702



Reilable, highly visible, highly versatile marking tape for colour coding, floor and safety marking applications. Long-term high visibility.





3M[™] Ultra Durable Floor Marking Tape 971



Engineered for heavy traffic and tough conditions such as scuffing from pallets and heavy equipment. Superior durability.





3M[™] Vinyl Tape 764



Cost-effective choice for a variey of hazard, color coding, floor and safety marking applications in light traffic. Economical lane and colour marking.





3M™ Vinyl Tape 766/767




Ideal for marking of equipment pinch points or gears for warning purposes and floor marking in light traffic areas.



Economical safety marking.





3M™ INDUSTRIAL TAPES FOR MARKING Selection chart

PRODUCT	PRODUCT NUMBER	COLOUR MARKING	FLOOR, WALL, OR LOADING DOCK MARKING	HAZARD AREA MARKING	CLEAN REMOVAL	TRAFFIC AREAS	KEY FEATURES
	471				\		Long-term high visibility and abrasion resistance
	971						Scuffing from pallets and heavy equipment, fork-lift traffic
	764i						Economical lane and colour marking in noncritical applications
	5702				<u></u>		Long-term high visibility and abrasion resistance
	766i			<u> </u>			Economical safety marking in noncritical applications
	767i						Ideal for marking in light traffic areas, walls and pipes

ELOOP WALL HAZARD

Industrial Tape Solutions HIGH-STRENGTH BONDING TAPE SOLUTIONS


3M™ VHB™ HIGH-STRENGHT BONDING TAPE

3M[™] VHB[™] Tape 4910



Designed to create durable and reliable bonds of transparent materials or wherever a clear bond is needed.







3M[™] VHB[™] Tape 5952



Designed for permanent bonding to powder coated and rigit irregular surfaces. Offers good adhesion to the widest variety of surfaces, including further high and medium surface engergy plastics and paints, metals and glass.



3M[™] VHB[™] Tape 5962



Designed for permanent bonding to powder coated and rigit irregular surfaces. Offers good adhesion to the widest variety of surfaces, including further high and medium surface energy plastics and paints, metals and glass.



3M™ VHB™ Tape 4991



Designed for permanent bonding with a high bond strength in critical applications on high to medium surface energy materials. Offering plasticiser resistence.



3M™ VHB™ Tapes GPH-110GF



Designed to create durable and reliable bonds for high temperatures and multi material bonding.





Whether it's a bonding, fastening or sealing solution you're looking for, with the "short-length roll blister pack everyday essentials program" you can complete everyday jobs quickly and reliably.





Comes in a dirt-protection blister/pack



Bounding, fastening and sealing go faster



3M™ RECLOSABLE FASTENING SOLUTIONS

3M™ Dual Lock™ Reclosable Fastener SJ355B



Bonds to a variety of substrates including metals and plastics such as acrylics, polycarbonate and ABS. Indoor and outdoor use.







3M™ Dual Lock™ Reclosable Fastener SJ354B



Designed for use for plastics (acrylic, polycarbonate and ABS), powdercoated paints and low-surface energy materials (polypropylene and polyethylene). Indoor use.





3M™ Dual Lock™ Reclosable Fastener SJ352Bbk (Black)



Alternative to a wide variety of reclosable attachment methods, including zips, screws, snaps, hooks, and more.





3M™ EXTREME SEALING TAPES

3M™ Extreme Sealing Tape 4411N (Transluscent)



Professional seal over an existing joint or seam which can be exposed to direct sunlight, as well as temperature and humidity extremes.







Whether it's a bonding, fastening or sealing solution you're looking for, with the "short-length roll blister pack everyday essentials program" you can complete everyday jobs quickly and reliably.





Comes in a dirt-protection blister/pack



Bounding, fastening and sealing go faster







Page	Product Description	Product Code	Product in website
3	3M [™] Versaflo [™] S-Series Hood, Large, S-433L	MMMAS433L	+
3	3M™ Versaflo™ S-Series Hood, Small, S-433S	MMMAS433S	+
3	3M™ Aura™ Disposable Respirator, FFP2, Valved, 9322+	MMMA9322PLUSBV	+
3	3M™ Aura™ Disposable Respirator, FFP2, Unvalved, 9320+	MMMA9320PLUSSPBULK	+
3	3M™ Aura™ Disposable Respirator, FFP1, Valved, 9312+	MMMA9312PLUSGEN3SV	+
3	3M™ Aura™ Disposable Respirator, FFP1, Unvalved, 9310+	MMMA9310PLUS	+
3	3M™ Aura™ Disposable Respirator, FFP3, Valved, 9332+	MMMA9332	+
3	3M™ Aura™ Disposable Respirator, FFP3, Unvalved, 9330+	MMMA9330PLUS	+
3	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E	MMMATR619E	+
3	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619UK	MMMATR-619UK	+
3	3M [™] Versaflo [™] Powered Air Purifying Respirator Starter Kit, Intrinsically Safe, TR-819E, 1 EA/Case	MMMATR-819E	+
3	3M™ Versaflo™ Intrinsically Safe Powered Air Turbo Starter Kit TR-819UK	MMMATR-819UK	+
3	3M [™] Secure Click [™] Half Facepiece Reusable Respirator with Speaking Diaphragm HF-802SD Medium	MMMAHF-802SD	+
3	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-803SD Large	MMMAHF-803SD	+
3	3M [™] Secure Click [™] Half Facepiece Reusable Respirator with Speaking Diaphragm HF-801SD Small	MMMAHF-801SD	+
4	3M™ Protective Coverall, 4520- L	MMMA4520L	+
4	3M™ Protective Coverall, 4520- XL	MMMA4520XL	+
4	3M™ Protective Coverall, 4520-2XL	MMMA4520XXL	+
4	3M™ Protective Coverall, 4565-L	MMMA4565L	+
4	3M™ Protective Coverall, 4565-XL	MMMA4565XL	+
4	3M™ Protective Coverall, 4565-2XL	MMMA4565XXL	+
4	3M™ Protective Coverall, 4510-L	MMMA4510L	+
4	3M [™] Protective Coverall, 4510-XL	MMMA4510XL	+
4	3M™ Protective Coverall, 4510-2XL	MMMA4510XXL	+
4	3M [™] Protective Coverall 4520CS, XL	MMMA4520CSXL	+







Page	Product Description	Product Code	Product in website
4	3M [™] Protective Coverall 4520CS, L	MMMA4520CSL	+
4	3M™ Protective Coverall 4520CS, 2XL	MMMA4520CSXXL	+
5	EX-01-001 EXPRESS CORDED CEN 400 PR/CASE	MMMAEX01001	±
5	EX-01-002 EXPRESS - UNCRDD CEN 400 PR/CS	MMMAEX01002	+
5	3M™ E-A-R™ Ultrafit™ 20 Earplugs	MMMAUF01012	+
5	X1A EU EARMUFF HEADBAND 3M PELTOR	MMMAX1A	±
5	X2A EU EARMUFF HEADBAND 3M PELTOR	MMMAX2A	+
5	MT53H7A4400-EU LiteCom PMR 446 MHz headb	MMMALCA	+
5	MT53H7P3E4400-EU LiteCom PMR 446 MHz	MMMAMT53H7P3E4400E	+
5	MT53H7B4400-EU LiteCom PMR 446 MHz neckb	MMMAMT53H7B4400-EU	+
6	3M™ Goggle Gear™ 500 Safety Goggles, neoprene headband, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, GG501NSGAF-EU	MMMAGG501NSGAF-BLU	.
6	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU	MMMAGG501SGAF-EU	+
6	3M [™] Solus [™] 1000 Safety Glasses, Green/Black frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1201SGAF-EU	MMMAS21SGAF	+
6	3M [™] Solus [™] 1000 Safety Glasses, Blue/Black frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1101SGAF-EU	MMMAS11SGAF	+
6	3M [™] SecureFit [™] 400 Safety Glasses, Red/Grey frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-RED-EU	MMMASF401SGAF-RED	+
6	3M [™] SecureFit [™] 400 Safety Glasses, Blue/Grey frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU	MMMASF401SGAF-BLU	±
6	3M [™] SecureFit [™] 400X Safety Glasses, Green/Clear frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-GRN-EU	MMMASF401XSGAF-GRN	+
6	3M™ SecureFit™ 400X Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-BLU-EU	MMMASF401XSGAF-BLU	#
6	3M [™] SecureFit [™] 3700 Overspectacles, Blue Frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-BLU-EU	MMMASF3701SGAF-BLU	#
6	3M [™] SecureFit [™] 3700 Overspectacles, Lime Green Frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-GRN-EU	MMMASF3701SGAF-GRN	.
6	3M [™] SecureFit [™] 3700 Overspectacles, Blue Frame, Brow Guard, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701XSGAF-BLU-EU	MMMASF3701XSGAFBLU	+
6	3M™ SecureFit™ 3700 Overspectacles, Orange Frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-ORG-EU	MMMASF3701SGAF-ORG	+
7	3M™ WP98 Series Visor, Acetate, Clear, 71340-00000CP	MMMAWP98	+
7	5F-11, FACE SHIELD, PC, CLEAR	MMMA5F-11	+







Page	Product Description	Product Code	Product in website
7	3M [™] Helmet Integrated Safety Glasses, Clear, V9C	MMMAV9C	+
7	X5501V-CE SF HELMET WHT VENT 4/CS	MMMAX5501V-CE-4	+
7	U5B-CE FACESHIELD HOLDER 10/CS	MMMAU5B-CE	+
8	C- 3M™ DBI-SALA® Sealed-Blok™ Emergency Retrieval Self-Retracting Lifeline	CPSD3400856	+
8	B - 3M [™] DBI-SALA [®] Delta [™] Comfort Rescue Harness	CPSD1112949	+
8	A- 3M [™] DBI-SALA® Confined Space, Short Reach Davit System, High Capacity	CPSD8000118	+
10	1243A COMPLY STEAM INTEGRATOR	MMMEM1243A	+
10	1243B COMPLY STEAM CI 100/PK10PK/CS	MMMEM1243B	+
10	1300 BOWIE-DICK TEST PACK	MMMEM1300	+
10	1301 BOWIE-DICK TEST SHEET	MMMEM1301	+
10	1292-S RAPID READOUT STEAM BIO IND	MMMEM1292S	+
10	1322-18MM LEAD FREE INDICATOR TAPE	MMMEM1322-18	+
10	1322 LEAD FREE INDICATOR TAPE 24MM X 55M	MMMEM1322-24	+
10	1322 LEAD FREE INDICATOR TAPE 48MM X 55M	MMMEM1322-48	+
10	1355 LEAD FREE INDICATOR TAPE 18MM X 55M	MMMEM1355-18	+
10	1355 LEAD FREE INDICATOR TAPE 24MM X 55M	MMMEM1355-24	+
10	4109 ETS USB DATA READER	MMME4109	+
10	ETS 4208 SENSING UNIT	MMME4208	+
10	1492V SUPER RAPID READOUT BIO IND	MMME1492V	+
10	1496V SUPER RAPID CHALLENGE PACK, 24/CS	MMME1496V	+
10	1496VF SUPER RAPID CHALLENGE PACK, 24/CS	MMME490	+
11	1251 COMPLY EO CI STRIP,240-8 / 480-4	MMME1251	+
11	1294-S RAPID READOUT BIO IND FOR EO		+
11	3M [™] Attest [™] Auto-reader for EO, 390G	MMME4208	+
12	1248 GAS PLASMA CHEMICAL INDICATOR STRIP	MMMEM1248	+







Page	Product Description	Product Code	Product in website
12	1295 ATTEST RAPID BI FOR H202	MMME1295	+
12	3M™ Attest™ Auto-reader 490, plug EF (EU)	MMME4109	+
13	Chem Sorbent Folded C-FL550DD High Cap	MMMAPF2001	+
13	M PD1520DD MAINTENANCE SORBENT FOLDED	MMMAMA2002	+
13	SW TAPE 610 BLACK 2INX60FT EACH, 2EA/CV	MMMASW1SC50	+
13	630 S/W GEN PURP SLIP RESIST YLW 2×60	MMMASW1GB50	+
13	613 SW GP Black/yellow Stripe 2in x60ft	MMMASW1SG50	+
14	Aqua Textile Mat 85 Grey 2 × 20	MMMA85GU220	+
14	4300 Ultra clean 40 layer 115 × 60 Clear	MMME4208	+
14	8150 NB GRAY 4 FT X 20 FT	MMMA815GU126	+
14	SW Cushion 3270E NB Black 3ftx20ft 1/cs	MMMA3270NE6	+
14	SW CUSH MAT 5270E NB 3 FT X 20 FT BLACK	MMMA5270E960	+
15	SG FILM 2200 WE 1.22M x 1.22M , 10/CS	MMMABOFO122	+
15	Scotch-Brite Clean & Shine Pad 17in 5/cs	MMMACLSH430	+
15	Scotch-Brite(TM) SPP Plus 17 in 5/cs	MMMASPPP17	+
16	Stainless Steel Cleaner 600ml	MMMAEDEL600	+
16	SB2010 BLUE 32X36	MMMA2010HLBU	+
16	GLASS CLEANER and PROTECTOR,12/CS	MMMAGLASREIN	+
16	EASY TRAP DUST WH 127MM X38.1M 2 RLS/BX	MMMAET7449	+
16	SB 98 WHITE PAD 158X224MM 20PD/PK 3PK/CV	МММАНР98	+
17	5702 UVG 2 X 36 YD BULK	MMMA5702	+
17	471 VFB RED 2 X 36 YD BULK	MMMA471R50	+
17	471 VFE BLUE 2 X 36 YD BULK	MMMA471BL50	+
17	471 VFG YELLOW 2 X 36 YD BULK	MMMA471G50	+
17	471 VFH WHITE 2 X 36 YD BULK	MMMA471W50	+







Page	Product Description	Product Code	Product in website
17	471 VFL GREEN 2 X 36 YD BULK	MMMA471GR50	±
17	471 VFC BLACK 2 X 36 YD BULK	MMMA471S50	±
17	764I BLACK 2 X 36 YD BULK	MMMA764S5033	+
17	764I BLUE 2 X 36 YD BULK	MMMA764B5033	±
17	764I RED 2 X 36 YD BULK	MMMA764R5033	+
17	764I YELLOW 2 X 36 YD BULK	MMMA764GE5033	+
17	764I WHITE 2 X 36 YD BULK	MMMA764W5033	+
17	764I GREEN 2 X 36 YD BULK	MMMA764I-GR	+
17	971 ULTRA DRBL FLR MKG YL 2INx36YD	MMMA971-YL	+
17	971 ULTRA DRBL FLR MKG RD 2INx36YD	MMMA971-RD	+
17	971 ULTRA DRBL FLR MKG WT 2INx36YD	MMMA971-WH	+
17	971 ULTRA DRBL FLR MKG BL 2INx36YD	MMMA971-BL	+
17	766I YELLOW/BLACK 2 X 36 YD BULK	MMMA766SG5033	+
17	767I RED/WHITE 2 X 36 YD BULK	MMMA767I	+
17	971 ULTRA DRBL FLR MKG OR 2INx36YD	MMMA971-OR	+
17	971 ULTRA DRBL FLR MKG GN 2INx36YD	MMMA971-GR	+
18	4910F VHB 19mmX11m IPC 4/CV	MMMA4910	+
18	4991F VHB 19mm x 5.5m 4/CV IPC	MMMA4991F/IPS	+
18	3M [™] VHB [™] Tapes GPH-110GF 19mmX11m	MMMAGPH-110GF	+
18	5952F TAPE BK 19MMX11M 4/CV	MMMA5952	+
18	5962F TAPE BK 19MMX8M 4/CV	MMMA5962F/IPS	#
19	3M™ Dual Lock™ SJ-355B, 25mm x 2.5m	MMMASJ355B	+
19	SJ352Bbk Hk&Lp 25mmX1.25m IPC 4/CV	MMMASJ352BBK	+
19	SJ354B Dual Lock 25mmX2.5m IPC 4/CV	MMMASJ354B	+
19	4411N EST 50mmX5.5M IPC 4/CV	MMMA4411N	±

DISCLAIMER

This guide is only an outline. It should not be used as the only means for selecting a personal protective equipment (PPE). Details regarding performance and limitations are set out on the PPE packaging and user instructions. Before using any item of PPE, the wearer must read and understand the user instructions for each product.

Specific country legislation must be observed. Please note that the applications shown highlight some of the hazards which may be considered. Selection of the most appropriate PPE will depend on the particular situation and should be made only by a competent perso knowledgable of the actual working conditions and the limitations of PPE.

Specific country legislation must be observed. The use of Isocyanates may require use of supplied air respiratory protective equipment. The use of solvent based paints and chemicals may require use of ATEX approved or other suitable personal protective equipment.

Available from:



AUSTRIA

VWR International GmbH Graumanngasse 7 1150 Wien Tel.: +43 1 97 002 0 info.at@vwr.com

BELGIUM

VWR International bvba Researchpark Haasrode 2020 Geldenaaksebaan 464 3001 Leuven Tel.: +32 (0) 16 385 011 vwr.be@vwr.com

CZECH REPUBLIC

VWR International s. r. o. Veetee Business Park Pražská 442 CZ - 281 67 Stříbrná Skalice Tel.: +420 321 570 321 info.cz@vwr.com

DENMARK

VWR International A/S Tobaksvejen 21 2860 Søborg Tel.: +45 43 86 87 88 info.dk@vwr.com

FINLAND

VWR International Oy Valimotie 9 00380 Helsinki Tel.: +358 (0) 9 80 45 51 info.fi@vwr.com

VWR International S.A.S.

Le Périgares – Bâtiment B

FRANCE

201, rue Carnot
94126 Fontenay-sous-Bois
cedex
Tel.: 0 825 02 30 30* (national)
Tel.: +33 (0) 1 45 14 85 00
(international)
info.fr@vwr.com
* 0,18 € TTC/min + prix appel

GERMANY

VWR International GmbH
Hilpertstraße 20a
D - 64295 Darmstadt
Tel.: 0800 702 00 07* (national)
Tel.: +49 (0) 6151 3972 0
(international)
info.de@vwr.com
*Freecall

HUNGARY

VWR International Kft. Simon László u. 4. 4034 Debrecen Tel.: +36 52 521130 info.hu@vwr.com

IRELAND / NORTHERN IRELAND

VWR International Ltd / VWR International (Northern Ireland) Ltd Orion Business Campus Northwest Business Park Ballycoolin Dublin 15

Tel.: +353 (0) 188 22 222

ITALY

VWR International S.r.l. Via San Giusto 85 20153 Milano (MI) Tel.: +39 02 3320311 info.it@vwr.com

sales.ie@vwr.com

THE NETHERLANDS

VWR International B.V. Postbus 8198 1005 AD Amsterdam Tel.: +31 (0) 20 4808 400 info.nl@vwr.com

NORWAY

VWR International AS Brynsalleen 4, 0667 Oslo Tel.: +47 22 90 00 00 info.no@vwr.com

POLAND

VWR International Sp. z o.o. Limbowa 5 80-175 Gdansk Tel.: +48 58 32 38 200 info.pl@vwr.com

PORTUGAL

VWR International - Material de Laboratório, Lda Centro Empresarial de Alfragide Rua da Indústria, nº 6 2610-088 Amadora Tel.: +351 21 3600 770 info.pt@vwr.com

SPAIN

VWR International Eurolab S.L. C/Tecnología 5-17 A-7 Llinars Park 08450 - Llinars del Vallès Barcelona

Tel.: +34 902 222 897 info.es@vwr.com

SWEDEN

VWR International AB Fagerstagatan 18a 163 94 Stockholm Tel.: +46 (0) 8 621 34 00 kundservice.se@vwr.com

SWITZERLAND

VWR International GmbH Lerzenstrasse 16/18 8953 Dietikon Tel.: +41 (0) 44 745 13 13 info.ch@vwr.com

UI

VWR International Ltd
Customer Service Centre
Hunter Boulevard - Magna Park
Lutterworth
Leicestershire
LE17 4XN
Tel.: +44 (0) 800 22 33 44
uksales@vwr.com

CHINA

VWR (Shanghai) Co., Ltd Bld.No.1, No.3728 Jinke Rd, Pudong New District Shanghai, 201203 - China Tel.: 400 821 8006 Email: info_china@vwr.com

INDIA

VWR Lab Products Private Limited No.139. BDA Industrial Suburb, 6th Main, Tumkur Road, Peenya Post, Bangalore, India – 560058 Tel.: +91 80 28078400 vwr_india@vwr.com

MIDDLE EAST & AFRIKA

VWR International FZ-LLC DSP Laboratory Complex 125, Floor 01 Dubai, United Arab Emirates Tel.: +971 4 5573271 info.mea@vwr.com

SINGAPORE

VWR Singapore Pte Ltd 18 Gul Drive Singapore 629468 Tel: +65 6505 0760 sales.sg@vwr.com



Safety & Industrial Business Group 3M United Kingdom PLC 3M Centre

Cain Road, Bracknell - Berkshire RG12 8HT www.vwr.com/3M

© 3M 2020

3M, ETS, Secure Click, E-A-R, UltraFit, Secure Fit, Solus, VHB, Scotch-Brite, Aura, Versaflo, Scotchgard, SecureFit, Google Gear, E-A-R, Peltor, DBI SALA, Sealed Blok, Delta, Attest, Comply, SteriGage, Dual Lock, Safety-Walk, Nomad, Scotchgard and Easy Trap are trademarks of 3M Company. All rights reserved.